

FIG. 1




FIG. 2





FIG. 3






FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

DETAILED INFORMATION

- DEVICE NAME ▷ REMOTE PRINTER 1b
- SETTING LOCATION ▷ CANNON INC SHIMOMARU
- STATUS ▷ READY TO EXECUTE
- PRINTER OPTION ▷ FINISHER

□ SHEET ▷

- 1 B4
- 2 A3
- 3 A4

ENVELOPE

CLOSE

SYSTEM STATUS/STOP

FIG. 10





FIG. 11

FIG. 12




FIG. 13

53

⌂ COMMON SPECIFICATION SETTING

■ ON/OFF OF CASSETTE AUTO SELECTION

▶

■ REGISTRATION OF ENVELOPE FEEDER

▶

▷ 00010

■ REGISTRATION OF SHEET TYPE

▶

■ CHANGE OF POWER SAVING MODE

▶

▷ 60%

■ SETTING OF DEDICATED TRAY

▶

▶

◀

CLOSE

↵

≡ SYSTEM STATUS/STOP ▶

FIG. 14

54 55

COMMON SPECIFICATION SETTING

←(*) COPY

1	<input type="checkbox"/> B4
2	<input type="checkbox"/> A3
3	<input type="checkbox"/> A4

ON	OFF
ON	OFF
ON	OFF
ON	OFF

SHEET TYPE IS CONSIDERED ☐

CANCEL OK ↵

SYSTEM STATUS/STOP ▶

FIG. 15